

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : Tide to Go Pro

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Laundry Stain Remover
Restrictions on use : None known

1.4. Supplier's details

Nehemiah Manufacturing Company, LLC
1907 South St.
Cincinnati, OH 45204
T 513-351-5700
responsibility@nehemiahmfg.com

1.5. Emergency phone number

Emergency number : Verisk 3E: 1-866-519-4752
Access Code: 335485

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Full text of H statements : see section 16		

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Hydrogen peroxide	CAS-No.: 7722-84-1	1-1.5
Ethanol	CAS-No.: 64-17-5	1-1.5
Dipropylene glycol monomethyl ether	CAS-No.: 34590-94-8	1 – 1.5
Sulfuric Acid, Mono-C10-16-alkyl esters, Sodium Salts	CAS-No.: 68585-47-7	0.5 – 1

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Move the affected person to fresh air. Get medical attention if symptoms occur.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Inhalation	: None under normal use.
Skin	: Causes skin irritation.
Eyes	: Causes eye irritation.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Not required.
-----------------------------------	-----------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None.

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

5.2. Specific hazards arising from the chemical

Fire hazard : This product is not classified as flammable or combustible.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear suitable protective clothing. Avoid contact with skin and eyes.

For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands with water and soap. Ensure adequate ventilation.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in original container or corrosive resistant and/or lined container.
Incompatible materials : Strong oxidizers. May be corrosive to metals.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Hydrogen peroxide (7722-84-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Hydrogen peroxide
ACGIH OEL TWA	1.4 mg/m ³

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Hydrogen peroxide (7722-84-1)	
	1 ppm
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OSHA PEL (TWA)	1.4 mg/m³
	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Other OEL	1.4 mg/m³
NIOSH REL (TWA)	1 ppm
Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA)	1900 mg/m³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol; ethanol
Cal/OSHA PEL (OEL TWA)	1900 mg/m³
	1000 ppm
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)
USA - NIOSH - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
NIOSH REL 10h TWA	1000 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
Dipropylene glycol monomethyl ether (34590-94-8)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Dipropylene glycol methyl ether (DPGME)
ACGIH OEL TWA	50 ppm

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Dipropylene glycol monomethyl ether (34590-94-8)	
Remark (ACGIH)	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Dipropylene glycol methyl ether
OSHA PEL (TWA)	600 mg/m³
	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : No particular/specific measures required.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves
Eye protection:
Chemical goggles or safety glasses. Chemical goggles. Use suitable eye protection
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colourless
Odor	: Mild odor
Odor threshold	: No data available
pH	: 4.8 – 5.2
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: ≈ 100 °C
Flash point	: > 100 °C
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Viscosity, kinematic : No data available
Explosion limits : No data available
Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrogen peroxide (7722-84-1)	
LD50 oral	694 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:US EPA Toxic Substance Health Effects Test Guidelines (PB82-232984, 1982), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	700 mg/kg body weight
LC50 Inhalation - Rat (Dust/Mist)	> 170 mg/l
LC50 Inhalation - Rat (Vapors)	2 mg/l/4h
Ethanol (64-17-5)	
LD50 oral rat	15010 mg/kg body weight
LD50 oral	8300 mg/kg body weight
LC50 Inhalation - Rat (Vapors)	≈ 116.9 mg/l/4h

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Sulfuric Acid, Mono-C10-16-alkyl esters, Sodium Salts (68585-47-7)	
LD50 oral rat	977 – 1427 mg/kg
LD50 dermal rat	> 2000 mg/kg
Dipropylene glycol monomethyl ether (34590-94-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	9510 mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: 4.8 – 5.2
Hydrogen peroxide (7722-84-1)	
pH	2.02 (50 %, 21 °C)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 4.8 – 5.2
Hydrogen peroxide (7722-84-1)	
pH	2.02 (50 %, 21 °C)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Ethanol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Ethanol (64-17-5)	
NOAEL (subchronic,oral,animal/male,90 days)	< 9700 mg/kg body weight
NOAEL (subchronic,oral,animal/female,90 days)	> 9400 mg/kg body weight
Dipropylene glycol monomethyl ether (34590-94-8)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight
NOAEL (dermal,rat/rabbit,90 days)	2850 mg/kg body weight (rabbit)
Aspiration hazard	: Not classified
Inhalation	: None under normal use.
Skin	: Causes skin irritation.
Eyes	: Causes eye irritation.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Hydrogen peroxide (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l
EC50 - Crustacea [1]	2.3 mg/l
EC50 - Other aquatic organisms [1]	7.7 mg/l waterflea
EC50 - Other aquatic organisms [2]	1.38 mg/l
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum
ErC50 algae	0.85 mg/l
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Ethanol (64-17-5)	
LC50 - Fish [1]	14.2 g/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	> 100 mg/l
NOEC (chronic)	9.6 mg/l Daphnia magna (Water flea)

Sulfuric Acid, Mono-C10-16-alkyl esters, Sodium Salts (68585-47-7)	
LC50 - Fish [1]	29 mg/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	5.5 mg/l
EC50 72h - Algae [1]	> 120 mg/l
NOEC (chronic)	0.88 mg/l daphnia
NOEC chronic fish	> 1.357 mg/l

Dipropylene glycol monomethyl ether (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l Poecilia reticulata (Guppy)
EC50 - Crustacea [1]	1919 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 969 mg/l Raphidocelis subcapitata
LOEC (chronic)	0.5 mg/l Daphnia magna (Water flea)

12.2. Persistence and degradability

Tide to Go Pro	
Persistence and degradability	Not rapidly degradable
Hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Hydrogen peroxide (7722-84-1)	
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Sulfuric Acid, Mono-C10-16-alkyl esters, Sodium Salts (68585-47-7)	
Persistence and degradability	Rapidly degradable
Dipropylene glycol monomethyl ether (34590-94-8)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Hydrogen peroxide (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.6
Bioaccumulative potential	Not bioaccumulative.
Ethanol (64-17-5)	
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

Hydrogen peroxide (7722-84-1)	
Surface tension	80.4 mN/m (20 °C, Pure substance, Calculated value, 100 g/l)
Ecology - soil	No (test)data on mobility of the component(s) available.

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Dispose of in accordance with applicable federal, state, and local regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

DOT	TDG	IMDG	IATA
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Hydrogen peroxide (7722-84-1)

RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

15.2. International regulations

CANADA

Hydrogen peroxide (7722-84-1)

Listed on the Canadian DSL (Domestic Substances List)

Ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

Tide to Go Pro

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Sulfuric Acid, Mono-C10-16-alkyl esters, Sodium Salts (68585-47-7)

Listed on the Canadian DSL (Domestic Substances List)

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Hydrogen peroxide (7722-84-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Hydrogen peroxide(7722-84-1)	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - New Jersey - Right to Know Hazardous Substance List
Ethanol(64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Dipropylene glycol monomethyl ether(34590-94-8)	U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16 Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Revision date : 4/22/2025

Issue date : 12/18/2024

Full text of hazard classes and H-statements

H315	Causes skin irritation
H319	Causes serious eye irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.