

### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Issue date: 1/16/2025 Revision date: 1/16/2025

#### **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Trade name : Tide Spice Rack - Wine

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Laundry Stain Remover

Restrictions on use : None known

#### 1.4. Supplier's details

Nehemiah Manufacturing Company, LLC 1907 South St. Cincinnati, OH 45204 T 513-351-5700 responsibility@nehemiahmfg.com

#### 1.5. Emergency phone number

Emergency number : Verisk 3E: 1-866-519-4752

Access Code: 335485

#### **SECTION 2 Hazard Identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Corrosive to metals, Category 1 H290 May be corrosive to metals. Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H statements : see section 16

#### 2.2. Label elements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary statements (GHS US) : P234 - Keep only in original packaging.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

P332+P313 - If skin irritation occurs: Get medical advice.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P390 - Absorb spillage to prevent material-damage.

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

#### 2.5. Unknown acute toxicity

No additional information available

#### **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Hydrogen peroxide	CAS-No.: 7722-84-1	3.5 – 4
Alcohols, C11-14-iso-, C13-rich, ethoxylated	CAS-No.: 78330-21-9	3 – 3.2
C9-11 Ethoxylated Alcohol	CAS-No.: 68439-46-3	1.3 – 1.4
Sodium N-(2-carboxyethyl)-N-dodecyl-β-alaninate	CAS-No.: 14960-06-6	1 – 1.1

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Move the affected person to fresh air. Get medical attention if symptoms occur.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing. Get medical advice if

skin irritation persists.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 20 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms/effects, acute and delayed

Inhalation : May cause minor irritation to the respiratory tract and to other mucous membranes.

Skin : Causes skin irritation.
Eyes : Causes serious eye damage.

Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Immediate medical attention is required for eye contact.

1/16/2025 (Revision date) US - en 2/11

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : This product is not classified as flammable or combustible.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### **SECTION 6 Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear suitable protective clothing. Avoid contact with eyes, skin and clothing.

For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Environmental precautions : Avoid release to the environment.

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section

13).

For further information refer to section 8: "Exposure controls/personal protection"

#### **SECTION 7 Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Avoid contact with eyes, skin and clothing. Wash hands

with water and soap. Ensure adequate ventilation.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : No special storage required.

Incompatible materials : None known.

#### **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

1/16/2025 (Revision date) US - en 3/11

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Hydrogen peroxide (7722-84-1)		
USA - ACGIH - Occupational Exposure Lin	nits	
Local name	Hydrogen peroxide	
ACGIH OEL TWA	1.4 mg/m³	
	1 ppm	
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)	
Regulatory reference	eference ACGIH 2019	
USA - OSHA - Occupational Exposure Lim	its	
Local name	Hydrogen peroxide	
OSHA PEL (TWA)	1.4 mg/m³	
	1 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
USA - NIOSH - Occupational Exposure Limits		
Other OEL	1.4 mg/m³	
NIOSH REL (TWA)	1 ppm	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : No particular/specific measures required. Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment

#### Hand protection:

Wear suitable gloves

#### Eye protection:

Splash goggles

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

#### **SECTION 9 Physical and chemical properties**

#### 9.1. Basic physical and chemical properties

Physical state : Liquid
Color : Colourless
Odor : Characteristic
Odor threshold : No data available
pH : 5

Melting point : Not applicable
Freezing point : No data available
Boiling point : > 100 °C

1/16/2025 (Revision date) US - en 4/11

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Flash point : None to boil
Flammability (solid, gas) : Not applicable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : No data available

Density : 1.001

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Explosion limits : No data available

Particle characteristics : Particle aggregation state : Not applicable

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

#### **SECTION 10 Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

May be corrosive to metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11 Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

C9-11 Ethoxylated Alcohol (68439-46-3)		
LD50 dermal rat > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Derma		
LC50 Inhalation - Rat > 1.6 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)		
Hydrogen peroxide (7722-84-1)		
LD50 oral 694 mg/kg body weight		

# Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Hydrogen peroxide (7722-84-1)		
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:US EPA Toxic Substance Health Effects Test Guidelines (PB82-232984, 1982), Guideline: OECD Guideline 402 (Acute Derma Toxicity)	
LD50 dermal	700 mg/kg body weight	
LC50 Inhalation - Rat (Dust/Mist)	> 170 mg/l	
LC50 Inhalation - Rat (Vapors)	2 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation. pH: 5	
Hydrogen peroxide (7722-84-1)		
рН	2.02 (50 %, 21 °C)	
Serious eye damage/irritation	: Causes serious eye damage. pH: 5	
Hydrogen peroxide (7722-84-1)		
рН	2.02 (50 %, 21 °C)	
Respiratory or skin sensitization Germ cell mutagenicity	: Not classified : Not classified	
Carcinogenicity	: Not classified	
Hydrogen peroxide (7722-84-1)		
IARC group	3 - Not classifiable	
Reproductive toxicity STOT-single exposure	: Not classified : Not classified	
Hydrogen peroxide (7722-84-1)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
C9-11 Ethoxylated Alcohol (68439-46-3	)	
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Da Oral Toxicity in Rodents)	
Sodium N-(2-carboxyethyl)-N-dodecyl-	3-alaninate (14960-06-6)	
NOAEL (oral,rat,90 days)	160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:	
Aspiration hazard	: Not classified	
Inhalation Skin	: May cause minor irritation to the respiratory tract and to other mucous membranes.	
Skin Eyes	<ul><li>: Causes skin irritation.</li><li>: Causes serious eye damage.</li></ul>	
Ingestion	May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

1/16/2025 (Revision date) US - en 6/11

### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### **SECTION 12 Ecological information**

#### 12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

C9-11 Ethoxylated Alcohol (68439-46-3)		
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
Sodium N-(2-carboxyethyl)-N-dodecyl-β-alaninate (14960-06-6)		
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	1.71 mg/l Test organisms (species): Daphnia magna	
LC50 - Fish [2]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [2]	5.7 mg/l Test organisms (species): Daphnia magna	
Hydrogen peroxide (7722-84-1)		
LC50 - Fish [1]	16.4 mg/l	
EC50 - Crustacea [1]	2.3 mg/l	
EC50 - Other aquatic organisms [1]	7.7 mg/l waterflea	
EC50 - Other aquatic organisms [2]	1.38 mg/l	
EC50 72h - Algae [1]	1.38 mg/l Test organisms (species): Skeletonema costatum	
ErC50 algae	0.85 mg/l	
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

#### 12.2. Persistence and degradability

Tide Spice Rack - Wine		
Persistence and degradability	Not rapidly degradable	
C9-11 Ethoxylated Alcohol (68439-46-3)		
Persistence and degradability Readily biodegradable.		
Sodium N-(2-carboxyethyl)-N-dodecyl-β-alaninate (14960-06-6)		
Persistence and degradability	Rapidly degradable	
Alcohols, C11-14-iso-, C13-rich, ethoxylated (78330-21-9)		
Persistence and degradability Rapidly degradable		
Hydrogen peroxide (7722-84-1)		
Persistence and degradability Biodegradability: not applicable.		

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Hydrogen peroxide (7722-84-1)	
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

Hydrogen peroxide (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow) -1.6	
Bioaccumulative potential	Not bioaccumulative.

#### 12.4. Mobility in soil

Hydrogen peroxide (7722-84-1)		
Surface tension	80.4 mN/m (20 °C, Pure substance, Calculated value, 100 g/l)	
Ecology - soil	No (test)data on mobility of the component(s) available.	

#### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

### **SECTION 13 Disposal considerations**

Regional waste regulation : Dispose of in accordance with applicable federal, state, and local regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14 Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
UN1760	UN1760	1760	1760
14.2. Proper Shipping Name			
Corrosive liquids, n.o.s. (Hydrogen peroxide)	CORROSIVE LIQUID, N.O.S. (Hydrogen peroxide)	CORROSIVE LIQUID, N.O.S. (Hydrogen peroxide)	Corrosive liquid, n.o.s. (Hydrogen peroxide)
14.3. Transport hazard class(es)			
8	8	8	8
CORROSIVE 8	8	8	8
14.4. Packing group			
III	III	III	III

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

DOT	TDG	IMDG	IATA
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

#### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

DOT

: UN1760 UN-No. (DOT)

DOT Special Provisions (49 CFR 172.102) IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

> (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

MAWP.

: 60 L

DOT Packaging Exceptions (49 CFR 173.xxx) 154 DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) 241 DOT Quantity Limitations Passenger aircraft/rail (49 : 5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

**DOT Vessel Stowage Location** 

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

**DOT Vessel Stowage Other** 40 - Stow "clear of living quarters"

**TDG** 

: UN1760 UN-No. (TDG)

**TDG Special Provisions** : 16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance

with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks. 2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the

"Food and Drugs Act".

**Explosive Limit and Limited Quantity Index** 

: 5 L Excepted quantities (TDG) : E1 Passenger Carrying Road Vehicle or Passenger : 5 L

Carrying Railway Vehicle Index

1/16/2025 (Revision date) US - en 9/11

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Emergency Response Guide (ERG) Number : 154

**IMDG** 

Special provision (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

**IATA** 

: A3, A803 Special provision (IATA) PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) 60L ERG code (IATA) : 8L

#### **SECTION 15 Regulatory information**

#### 15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Hydrogen peroxide (7722-84-1)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

#### 15.2. International regulations

#### **CANADA**

#### **C9-11 Ethoxylated Alcohol (68439-46-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### Sodium N-(2-carboxyethyl)-N-dodecyl-β-alaninate (14960-06-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

#### Alcohols, C11-14-iso-, C13-rich, ethoxylated (78330-21-9)

Listed on the Canadian DSL (Domestic Substances List)

#### Hydrogen peroxide (7722-84-1)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### **Tide Spice Rack - Wine**

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

#### **C9-11 Ethoxylated Alcohol (68439-46-3)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Alcohols, C11-14-iso-, C13-rich, ethoxylated (78330-21-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Hydrogen peroxide (7722-84-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Hydrogen peroxide(7722-84-1)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16 Other information**

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Revision date : 1/16/2025 Issue date : 1/16/2025

Full text of hazard classes and H-statements	
H290	May be corrosive to metals
H315	Causes skin irritation
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.