SAFETY DATA SHEET

Issuing Date: 7/11/2018

Supercedes previous versions

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Downy Wrinkle Releaser, All Scents
Other means of identification	
Synonyms	None
Recommended use of the chemica	l and restrictions on use
Recommended Use	Laundry Starch / Sizing / Fabric Finish Product
Uses advised against	No information available
Details of the supplier of the safety	<u>v data sheet</u>
Supplier Name Supplier Address	Nehemiah 1130 Findlay St Cincinnati OH 45214
Supplier Phone Number	Phone: 5134582055 Contact Phone: 5134582043
Supplier Email <u>Emergency telephone number</u>	mwuellner@nehemiahmfg.com

2. HAZARDS IDENTIFICATION

Classification

This mixture is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) SDS information pertains to product as delivered in original containers. Risk of adverse effects is lessened by following all label precautions and instructions, including the use of personal protective equipment.

GHS Label elements, including precautionary statements Routes of exposure: eye contact, skin contact, inhalation

Emergency Overview		
Signal word	Warning	
Pictogram	None Applicable	
Appearance Colorless	Physical State Liquid	Odor Fresh
GHS Hazard Classification: Skin Irritation Category 3		

Hazard Statements

Causes mild skin irritation

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

Fire If skin irritation occurs: Get medical advice/attention.

Precautionary Statements - Storage

Keep out of reach of children and pets.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal facility. Consult with local emergency services for advice.

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

2.25% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION May cause slight eye irritation If accidentally swallowed, may cause stomach distress, nausea or vomiting If accidentally inhaled, may cause respiratory irritation.

Interactions with Other Chemicals

No information available Do not mix directly with other chemicals.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
SD Alcohol 40 (190 Proof)	64-17-5	1 - 5	*
*The event percentage (concentration) of compacition has been withhold as a trade accent			

The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact

If symptoms persist, get medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin Contact

In the case of skin irritation or allergic reactions, get medical attention. Wash off immediately with plenty of water for at least several minutes and remove all contaminated clothes and shoes.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

Do NOT induce vomiting. Drink plenty of water. If symptoms persist, get medical attention.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. This includes: Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Stop leak or spill only if no risk of personal injury or exposure
Environmental Precautions Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods and material for contain	ment and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Before attempting clean-up, refer to Hazards information above Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage

Keep in original container Keep containers tightly closed in a dry, well-ventilated place at room temperature. Keep away from children and pets, heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products

None known. No not mix directly with other products

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
SD Alcohol 40 (190 Proof) 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) 1900 mg/m ³	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m ³
ACGIH TLV: American Conference of Gov Administration - Permissible Exposure Lin			ccupational Safety and Health
Other Exposure Guidelines	Vacated limits revoked by the C (11th Cir., 1992) See section 1		
Appropriate engineering controls Engineering Measures	Showers Eyewash stations Good ventilation system		
Individual protection measures, su	ch as personal protective equi	pment	
Eye/Face Protection	Tight sealing safety goggles.		
Skin and Body Protection	No special protective equipment required. For sensitive skin or prolonged exposure, wear rubber gloves		
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.		

Physical and Chemical Properties

Physical State	Liquid		
Appearance	Colorless	Odor	Fresh
Color	No information available	Odor Threshold	No information available

<u>Property</u>	Values
рН	8.5
Melting / freezing point	No data
Boiling point / boiling range	No data
Flash Point	
Evaporation Rate	No data
Flammability (solid, gas)	No data
Flammability Limit in Air	
Upper flammability limit	No data
Lower flammability limit	No data
Vapor pressure	No data
Vapor density	No data
Specific Gravity	No data
Water Solubility	Soluble
Solubility in other solvents	No data
Partition coefficient: n-octanol/wate	r No data
Autoignition temperature	No data
Decomposition Temperature	No data
Kinematic viscosity	No data
Dynamic viscosity	No data
Explosive properties	No data
Oxidizing Properties	No data

Other Information

Softening Point VOC Content (%) **Particle Size Particle Size Distribution**

ata available ata available >212F ta available ata available ta available ata available ata available ata available ata available ole in water ata available ata available

No data available

No data available

No data available

Remarks/ Method

None known None known None known None known None known None known

None known None known None known None known None known None known None known None known None known None known

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage and use conditions.

Possibility of Hazardous Reactions

None under normal storage and use conditions.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None under normal storage and use conditions.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

 Product is not expected to have acute or chronic effects based on normal use
 Product Information

 Product Information
 Product does not present an acute toxicity hazard based on known or supplied information.

 Inhalation
 Specific test data for the substance or mixture is not available.

 Eye Contact
 Specific test data for the substance or mixture is not available.

 Skin Contact
 Specific test data for the substance or mixture is not available.

 Ingestion
 Specific test data for the substance or mixture is not available.

 Component Information
 Specific test data for the substance or mixture is not available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
SD Alcohol 40 (190 Proof) 64-17-5	-	-	= 124.7 mg/L(Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects

No information available.

Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH	IARC	NTP	OSHA
SD Alcohol 40 (190 Proof)	A3	Group 1		Х

 64-17-5
 ACGIH (American Conference of Governmental Industrial Hygienists)

 A3 - Animal Carcinogen
 IARC (International Agency for Research on Cancer)

 Group 1 - Carcinogenic to Humans
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present
 X

Reproductive Toxicity: No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

Aspiration Hazard: No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 4,156.70 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
SD Alcohol 40 (190 Proof)	-0.32
64-17-5	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local authorities for advice and additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with state and local regulations.

California Hazardous Waste Codes 135

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
SD Alcohol 40 (190 Proof)	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

DOT	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
IMDG/IMO	Not regulated
Hazard Class	N/A

RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65
SD Alcohol 40 (190 Proof) - 64-17-5	Developmental
ILS State Bight-to-Know Regulations	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
SD Alcohol 40 (190 Proof)		Х			
64-17-5					

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
SD Alcohol 40 (190 Proof)		Mexico: TWA 1000 ppm
64-17-5(1-5)		Mexico: TWA 1900 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS 2015 Hazard Class See Section 2

16. OTHER INFORMATION			
Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
Health Hazards 1	Flammability 0	Physical Hazard 0	Personal Protection X
23 Britisl Latham,	n American Blvd. NY 12110		
January 2017 Updated GHS elements and			
	Health Hazards 1 Health Hazards 1 Product 23 British Latham, 1-800-57 January Updated	Health Hazards 1 Flammability 0 Health Hazards 1 Flammability 0 Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 January 2017	Health Hazards 1 Flammability 0 Instability 0 Health Hazards 1 Flammability 0 Physical Hazard 0 Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 January 2017 Updated GHS elements and

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet